Updated July 2021

Accessing the ReadSpeaker Admin Portal

This guide will help you understand the various parts of the Admin Portal as well as some ways to analyze your data.

To access the ReadSpeaker Admin Portal:

- Go to the <u>Admin Portal URL</u>: https://admin.readspeaker.com/portal/index.php/system/login
- Enter your username and password, which were sent to you from ReadSpeaker support. If you cannot find your email with the username and password for the Admin Portal, then contact support at: <u>support@readspeaker.com</u> and ask for them to resend the information.

My Menu

On the left side of the page, you will see **My menu**, which contains the links you see in the menu pictured below.





Account

Under the account link, you will find several pieces of important information. There are four tabs: General Info, Other Contacts, Authorized URLs, and Voices.

My menu	General info Other Contacts Authorized urls Voices	
Account	© Save	
sage statistics mplementation upport og out	Customer ID XXXXXX DocReader ID XXXXXX Customer name Description	
	Main contact John Doe E-mail john.doe@your domain.com	1
	Customer country Customer language Customer web site Sales person Partner Account implemented	

General Information

This area includes your customer ID, your main contact person and their email address, and your salesperson. You will need to make a note of this information. If you need to contact support via email or phone, you will want to include your customer ID and CC your salesperson.

Other Contacts

Other contacts are other employees that are allowed access to your account. For example, you may want to include your LMS administrator, LMS back-up admin, Disability Services/Special Education lead, and IT liaison.

Authorized URLs

These are the URLs that are associated with your account. If you have a test and a production system, then both URLs need to be listed. If you purchased ReadSpeaker for your main website and your LMS, you would also see the URL for your main website.

Voices

The voice/s that you see listed are the voice/s that you purchased. If you have multiple voices, the default listing is by voice name. However, you can sort the information using the dropdown menu and select Gender, Language, or Language code. You should have both male and female for each of your voice languages. If you don't see both, please let the Educational Development Manager or your Salesperson/Account Manager know, and we will get the other gender added (Free.)

Usage Statistics

Usage statistics will help track how many hits per day/per month you are getting on your site. The graph below is an example of what you may see. Notice there are two tabs above the graph. The left-hand tab is the **Overview tab** which shows the bar graph, and the right-hand tab is the **Table View** which allows you to click on the month to see daily data or download the monthly/daily data to your computer.

The bar graph should not be flat. You should have high points and low points throughout the year. We generally call these peaks and valleys. Typically, the beginning, middle, and end of the term have peaks, and there are valleys between them. The ebbs and flows of the data are due to the nature of the term. Many students try out the new tools at the start of the term.



Leaners that it works best for will continue using it, but the visual learner may stop for a while. Midterm generates new learning strategies for those who want to improve their current grades. Toward the end of the term, you should also see a peak due to students studying for exams.

Below is an example of an **Overview** that shows some of these characteristics. If midterm exams or grades are not typically issued, you probably will not see a peak at midterm.



The **Table View** tab has links to each month's usage, the count, and a link to the downloadable CSV. You will also see the same trends in the months, but it is not as visual as the graph for most people.



ReadSpeaker () Admin Portal Guide



If you click on a month, you will be able to see all clicks, or you specify specific categories such as default (webReader Listen), docReader Listen, or the Help page. Make your selection and then click on **Select**. The page will change and show the data you selected broken down by individual days with the respective count.

If you click on a date, you will see links to the specific file/s that were accessed. From this information, you can better ascertain where ReadSpeaker is being used and where more product promotion needs to be made. Contact the Educational Development Manager for assistance in ways that may aid in maximizing your usage. In a later section, how to analyze the data.



Implementation

Under the **Implementation** link on the menu, you will find your implementation information for each product you purchased and other resource documents such as updates and FAQs. These resources vary depending on the product purchased. Click on the resource name, and it will open. If you have both a website and LMS integration, be sure to use the file that has webReader for {LMS} for your LMS installation. The website and LMS integrations are different.

If you need more information than what is listed under Implementations, then contact support (support@readspeaker.com). Please CC your salesperson and provide your customer ID in your email.

Below is an example menu of what you might find in the Implementation menu.

My Menu	Available Documents This ar	ea will list your LMS
Account	Implementation Instructions	Contains the steps to follow to implement ReadSpeaker docReader
Usage Statistics	EAQ C	Frequently asked questions about ReadSpeaker docReader
Implementation Support	webReader for BrightSpace	Instructions for an implementation inside BrightSpace
Log out	Brightspace Update Instructions	Update Instructions for the newest version of webReader
	BrightSpace/D2L FAQ	Common questions and issues for D2L
	ReadSpeaker LMS Support Page	General information about your ReadSpeaker implementation
	Setting Started	Ways to Introduce ReadSpeaker

Support

If you encounter a challenge, have a general question about a product, adapting the reading experience, or encounter another type of challenge, use the form on the **Support** link. Your customer ID is already filled in for you. Select your product, request type, and describe the problem. To help avoid misunderstandings, please be sure to include items such as:

ReadSpeaker () Dioneering voice technology Admin Portal Guide

- Which LMS are you using?
- If there is a problem, when did it start?
- Is the request related to a specific browser? Include the browser name and version number. (Generally, the version number is under the help or about link on the browser.)
- Are you getting an error message? If so, what does it say?
- Is there any other relevant information? If so, please include it.

My Menu	Implementation support	
Account Usage Statistics Implementation Support Log out	If you encounter any problems during the implementation or have a adapt the reading experience, please use the form below tog oin co can find our support numbers on <u>https://www.readspeaker.com/sup</u> Our typical response time is one business day. If your question or pr For the fastest response and to avoid misunderstandings, please ent include: • Content Management System (CMS) or Learning Management • CMS Examples: Wordpress, Squarespace, Joomla, Drug	ntact with our customer support. If you prefer to call, you <u>port/</u> . roblem is urgent, please call instead. er as many details as possible. Helpful information can : System (LMS)
1. Click on Support	Customer ID Your coustomer ID will already be filled in. Your coustomer ID will already be filled in.	
	Product * Please select Please select Please select Problem Description/Message *	3. Select the type of help: Implementation help, problem, question, or other
	rioueni desci puor ressege	4. Describe your challenge . Use the questions at the top to help Support get a better idea of the challenge
	URL to page where the problem can be reproduced *	5. Please provide a link to the page where the challenge occurs
	Credentials for password protected sites Email address * Your email address will already be filled in.	6. Please provide Student login credentials so that can see the challenge and identify any back-end logs to help resolve the challenge

Email

The email for support is support@reaspeaker.com.



Telephone

If you prefer to call, the telephone numbers are listed below. Please leave a voice mail if you are reaching out to support outside of their regular hours.

- Sweden: +46 18 60 44 41
- North America: +1 (877) 225-1306 (This is a toll-free number.)
- Japan: +81 3 6368 5254

How To Interpret Your Data

In the **Usage Statistic** section, you found out how to look at your data online. There is more that can be done with your data.

• Begin by clicking on **Usage Statistics**. Next, click on the **Table View** tab and **select your year** at the top. Click on **Select**.

		3.	Select your year and click Select
		_	
	a. I. I		
My Menu	Select year: 2021	⊻ © S	Select
-	Overview Table 1	/iew 📕	2. Click on Table View tab
Account			
Usage Statistics	Choose a m	onth f	for more details
Implementation	Month	Count	CSV
Support	January 2021	6953	Download
Support	February 2021	2763	Download
	March 2021	2356	Download
Log out			
Log out	April 2021	3120	Download
1. Click on Usage Statistics	April 2021 May 2021		Download Download
	Sector and a sector of the sec	3542	
	May 2021	3542 5682	Download
	May 2021 June 2021	3542 5682	Download Download
	<u>May 2021</u> June 2021 July 2021	3542 5682 1936	Download Download
	May 2021 June 2021 July 2021 August 2021	3542 5682 1936 0	Download Download
	May 2021 June 2021 July 2021 August 2021 September 2021	3542 5682 1936 0 0	Download Download

- To the right of the month, click on **Download**.
- **Name the file** with a descriptive title such as January 2021 RS Data. The downloaded file is in CSV format.

The following two areas address how to examine the data in Excel and Google Sheets. The following area explains the various items that you can extract from a closer look at your data.

Excel

Open a blank worksheet in Excel.

• Click on **Data**, then on **Get Data**, and then from the dropdown menu, select **From Text**.

••• 4 2. Click on	'Get Data	"Jo 🕁 🖬	2 🖬 🗅		Click on "Dat	:a"	Book5
Home Instruction Connection From HTML		3. Click or	S Data	Review	, Ž↓ Z	A T Filter	ell me Clear Reapply Advanced
2 3	C	D	E	F	G	Н	1



• Find your file and click on **Get Data**.

	Desktop	— iCloud	۵ ۵	Search	
Favorites	iCloud storage is full.	_		Upgrade.) (Learn More)
Recents			1. Click on your D	oata file	
Applications	Demo Stats.csv		1 1		
O Downloads	Documentsr Quick Use 🕧 🕨				
wR_dR_TA_202					
Creative Cloud					
CneDrive 🛅				Toron in a second second	
iCloud					
Desktop		Demo Stat			
Documents		CSV Document	2. Click on "G	iet Data"	
iCloud Drive		Information		ノノ	
Tags Red	· unitable states of form it second risk	Created			oday, 6:30 AM
				Cancel	Get Data

In the wizard that appears, click on **Delimited**, then **Next**. •

	I - Step 1 of 3
The Text Wizard has dete 1. Click on "Del If this is correct, choose	imited" ted. best describes your data.
 Delimited - Characters such as commas o Fixed width - Fields are aligned in columns of 	
Start import at row: 1 C File origin:	Macintosh 😒
Preview of selected data:	
Preview of file /Users/ginger/Desktop/Demo S	
Preview of file /Users/ginger/Desktop/Demo S	ess date", "access count", "page",
Preview of file /Users/ginger/Desktop/Demo S	 ss_date", "access_count", "page", ps://readspeaker-salesdemo.brightspace.com/content "It" "buted2002E02Econdeconder-salesdemo.brightspace.com/content Click on "Next" alesdemo.brightspace.com/content
Preview of file /Users/ginger/Desktop/Demo S 1 "customer_id", "language_code", "voice_code", "type", "acce 2 %888", "en_us", "Sophie", "default", "2021-06-02", "1", "htt 3 %888", "en_us", "Ashley", "docreader listen", "2021-06 4 %888", "en_uk", "Alice", "docreader listen", "2021-05 5 %8888", "en_uk", "Alice", "docreader listen", "2021-05 6 %8888", "en_us", "Ashley", "default", "2021-06-04", "1 7 %888", "en_us", "Ashley", "default", "2021-06-08", "1	 ss_date", "access_count", "page", ps://readspeaker-salesdemo.brightspace.com/content "It" "buted2002E02Econdeconder-salesdemo.brightspace.com/content Click on "Next"



• Select Tab and Comma.

	en l	1. Select	"Tab" and "Co	mma" lins.		
Delimiters		7		Treat consecutive	dolimitor	
Semico					aeimiter	s as one
Comma				Text qualifier:	~	
Space						
space						
Other						
Other:						
Other:						
Other:		d data:				
		d data:				
Preview o	f selecte	ode voice_code		process date brocess count	bage.	
Preview o customer_id 8888 8888	f selecter	ode voice_code Sophie Ashley	default docreader listen	pocess date bocess count	bage	reaker-salesdem Freadspeaker-sa
Preview o	f selecte	ode voice_code Sophie	default	process date brocess count 2. Click on "N		
Preview o	f selecter language_c en_us en_us en_uk en_uk en_us	ode voice_code Sophie Ashley Alice Alice Ashley	default docreader listen docreader listen docreader listen default	2. Click on "N	lext"	Freadspeaker-sa Freadspeaker-sa Freadspeaker-sa peaker-salesdem
Preview o	f selecter language_c en_us en_us en_uk en_uk	ode voice_code Sophie Ashley Alice Alice	default docreader listen docreader listen docreader listen default default	2. Click on "N	lext"	readspeaker-sa readspeaker-sa readspeaker-sa peaker-salesdem cos://readspeake

• Click Finish and then OK.

		le	ext Import Wiza	ard - Step	3 01 3		
This scre	en lets you	select e	ach column a	nd set the	Data For	mat.	
Column d	ata format						
Genera	al						
Text							
Date:	MDY 😒						
0.000		ma (Olia					
	Import coll	Imn ISkin	11				
Do not	import colu	umn (Skip))				
Do not	import coll	umn (Skip))				Advanced
))				Advanced
	f selected d		"				Advanced
Preview o	f selected d	lata: General	V	General	General	General	Advanced
Preview o	f selected d	lata: General voice_code	Seneral type	access_date	General	General	
Preview o General customer_id 8888 8888	f selected d General Language_code en_us en_us	General Voice_code Sophie Ashley	General type default pocreader listen	access_date 2021-06-02 2021-06-02	proves count	General	aker-salesdem eadspeaker-sa
Preview o	f selected d	data: General voice_code Sophie	General Lype default	access_date 2021-06-02 2021-06-02 2021-06-02	proves count	General	aker-salesdem eadspeaker-sa eadspeaker-sa
Preview o Seneral customer_id 8888 8888 8888 8888 8888	f selected d language_code en_us en_uk en_uk en_uk en_us	General voice_code Sophie Ashley Alice Ashley Alice	General type default docreader listen docreader listen docreader listen docreader listen	access_date 2021-06-02 2021-06-02 2021-06-02 2021-06-02 2021-06-04	proves count	General hose "Finish"	aker-salesdem eadspeaker-sa eadspeaker-sa eadspeaker-sa
Preview o General customer_id 8888 8888 8888 8888 8888 8888 8888	f selected d language_code en_us en_us en_uk en_uk en_us en_us	Seneral voice_code Sophie Ashley Alice Alice Ashley Ashley	General type default docreader listen docreader listen default default	access_date 2021-06-02 2021-06-02 2021-06-02 2021-06-02 2021-06-04 2021-06-08	proves count	General haae "Finish" select	aker-salesdem eadspeaker-sa eadspeaker-sa eadspeaker-sa
Preview o Seneral customer_id 8888 8888 8888 8888 8888	f selected d language_code en_us en_uk en_uk en_uk en_us	General voice_code Sophie Ashley Alice Ashley Alice	General type default docreader listen docreader listen docreader listen docreader listen	access_date 2021-06-02 2021-06-02 2021-06-02 2021-06-02 2021-06-04 2021-06-08 2021-06-09	proves count	Finish"	aker-salesdem eadspeaker-sa eadspeaker-sa eadspeaker-sa
Preview o reneral customer_id 8888 8888 8888 8888 8888 8888 8888 8888 8888 8888	f selected d language_code en_us en_us en_uk en_uk en_us en_us en_us en_us	General voice_code Sophie Ashley Alice Alice Ashley Ashley Ashley Alice	General type default docreader listen docreader listen docreader listen default wordlookup	access_date 2021-06-02 2021-06-02 2021-06-02 2021-06-02 2021-06-04 2021-06-08 2021-06-09	proves count	Finish"	aker-salesdem eadspeaker-sa eadspeaker-sa eadspeaker-salesdem ttps://readspeake s

• In the pop-up box, if you want your data to begin in the top-left cell of the spreadsheet, make sure it has **=\$A\$1**. In these instructions, we will be using our start point for the data from this cell.

ReadSpeaker () Admin Portal Guide



Notes on Excel Sorting:

• Before sorting, be sure you select the entire worksheet. Click on the triangle in the upper left above "1" and the left of "A."

Hon	ne Ins	- - - - - - - - 	Connections	Layout	Formula	s Data	Review	View Acrobat
Ge		efresh All	Properties Edit Links		Stocks	Currencies	Z J	Sort Filter Advanced
Da	ta	All 🛃	Euri Links					
A1	÷	X V	fx custo	mer_id				
	A	В	С		D	E	F	
1 0	er id	language_co	de voice_coo	de type		access_date	access_count	page
2				1.6.14		6/15/21	2	/content/enforced/6630-Wo
3						6/15/21	2	/content/enforced/6630-Wo
4	Click	on the tria	ingle to sel	lect		6/28/21	1	content/enforced/6623-RS00
5	+1-	o optiro u	vorksheet			6/25/21	1	content/enforced/6623-RS00
6	u	le entire v	vorksneet			6/28/21	1	content/enforced/6623-RS00
7						6/28/21	1	content/enforced/6623-RS0
8	8888	en_us	Ashley	default		6/18/21	1	content/enforced/6623-RS0
9	8888	en_au	Jack	default		6/18/21	2	content/enforced/6623-RS00
10	8888	en_au	Jack	default		6/25/21	1	content/enforced/6623-RS0
11	8888	en_us	James	default		6/18/21	1	content/enforced/6623-RS00
12	8888	en_us	James	default		6/25/21	2	content/enforced/6623-RS00
13	8888	en us	James	default		6/25/21	2	content/enforced/6623-RS00
14	8888	en_us	Mark	default		6/18/21	1	content/enforced/6623-RS00
15		en_us	Sophie	default		6/18/21	3	content/enforced/6623-RS0
16	8888	en_us	Sophie	default		6/18/21	5	content/enforced/6623-RS0
17		en us	Sophie	default		6/25/21		content/enforced/6623-RS00
18		en_us	Sophie	default		6/25/21		content/enforced/6623-RS00
19		en au	Jack	default		6/15/21		content/enforced/6623-RS00

• Click on **Data** and then on **Sort**. Be sure to check **My list has headers**.

		(1. Click on Da	ta		2. Click on Sor	t	
	AutoSa	ave OFF 🏠	⊟ ५ ° ৫ ⊜	7 🖬 🗅	🖾 - = 🖡	4	Book4	
Home	Insert	Draw Page	Layout Form	ulas Data	Review	Viey Acrobat	Tell me	
Get Data	Refresh All	Connections Properties Edit Links	Stocks	Currencies	> 2↓	Sort Filter	Text to Columns Remove Duplicat	문ố Data Valic tes 몸= Consolida
A2	\$ ×	✓ <i>f</i> x 8888	_				3. Check "My list has h	eaders."
A 1 customer	r id langua	B C ge_code voice_code	D	E access_date	F	2020		
	8888 en_us	ge_code voice_code	e type	access_date	So	10-10-		er.html
7.0 ***	3888 en_us				30	11		ml
	3888 en_us	Add levels to	sort by:				My list has headers	
100	3888 en_us				1000000	Decision in the second		
	3888 en_us		Column		Sort On	Order	Color/Icon	4uGt0aOMot3nl
	3888 en_us 3888 en_us	Sort by			Values	C A to Z	0 0	HUGtuaUviotani
1000	3888 en_au							
	3888 en_au							
	3888 en_us							
12 8	3888 en_us							
	3888 en_us							
	3888 en_us							
	3888 en_us							
	3888 en_us							
	3888 en_us							_
	3888 en_us	+ - Cor	by					-
	3888 en_au					Options	. Cancel OK	
Street House	3888 en_au 3888 en_us	-				- Frietland		
	3888 en_us	Sophie	default	6/15/21	1	content/enforced/6623-RS00	1/Overview of Materials html	
	3888 en_us	Sophie	default	6/15/21			1/Overview of Materials.html	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3888 en us	Sophie	default	6/18/21			1/Overview%20Faculty%20Resources.	html?d2lSessionVal
	0000 00 00	Achlou	default	6/25/21			1/Ourseiou % 20Escult % 20Becourses	

• Then in the **Column** area of the wizard, select the column title you want to sort by and click OK.

O 🔵 🖨 AutoSave	•● 佘 딞 ຳ ୯	⇔ ଢ∎⊔(≌ - ÷	Boo	ok4	
Home Insert I	Draw Page Layout F	ormulas Data	Review View	Acrobat 💡 T	ell me	
Get Befrech	E Properties	icks Currencies		Clear Reapply Advanced	Flash Fill Text to Columns Remove Duplicate	15 1 15 1
A2 🔹 🗙 🗸	fx 8888					
2 8888 en_us 3 8888 en_us	C D	acces	1. Select you	ır column tit	le for your serach	
4 8888 en_us	Add levels to sort by:				🗹 My list has headers	
	Colum	n	So	Order	Color/Icon	
2. Click the "+" to add a secondary	lang	omer_id uage_code e_code	O Values O	A to Z	• •	4uGt0a
level to the search	acce	ss_date ss_count			3. Click OK	וו
15 8888 en_03	page (Colu	imn H)				
16 8888 en_us 17 8888 en_us		ımn I)			N	
18 8888 en_us	+ - Copy					
19 8888 en_au				Options	Cancel OK	
20 8888 en_au 21 8888 en_us				options		100
21 8888 en_us	Canble default	6/15/21	1	ferred/cc22.nco21/0	inclose of Africate Line	1000

 Click on Column G (page). Use the Replace tool, which is found under Home in the ribbon, to strip off part of the URL to make the Page column easier to read. Some parts of the URL that you may want to remove are "https://your LMS name/" and "selection:". Place the part of the URL you want to remove in the Find what field, leave the Replace with field empty, and then click Replace All.

Γ	1.	Click on Hor	me			2. Click o	on the Find & S down menu 3. Click on Sel e	1
С Н		AutoSave o	Page L	-	Conditional Formatting 🛩	∰ Insert v	$\Sigma \cdot A \rightarrow$	Q Let Share ☐ Comment
	Paste 🗳	Calibri (E		E ·	Format as Table 🗸 Cell Styles 🗸	Delete V	Z ↓ Z V Sort & Filter	✓ Ind
G:	A	× √ fx B language_code	с	ty.	G		н	 Replace → Go To Go To Special
2	8888	en_us en_us	Ashley Ashley	de de	ting Started/webReader.htm y Study at TAFE QLD.html	nl		Formulas
4		en_us en_us	James Sophie	defa def	nl			Notes
6 7 8	8888	en_us en_us	Sophie James	defa defa def	nl n.html?d2lSessionVal=9b4uGt v Resources.html	0aOMot3nMEzG0fxzv	IL&ou=6623&d2l	Conditional Formatting Constants
8 9 10	8888	en_us en_au en_au	Ashley Jack Jack	de* de	y Resources.html y Resources.html y Resources.html			Data Validation
11 12	8888 8888	en_us en_us	James James	de de	ty Resources.html y Resources.html			Select Objects
13	8888	en_us	James	def	ty Resources.html			

At this point, your data is in the Excel Sheet. Skip down to the section "<u>What</u> <u>Does My Data Tell Me?</u>"



Google Sheets

- Open a blank sheet in Google Sheets
- Click on File and then Import •



Click on the **Upload tab** and then drag your file into the upload area. •

My Drive	Shared with me	Recent	Upload	
				Data File and have
				Data File goes here
				Drag a file here
				Or, if you prefer Select a file from your device



• Click Import data.

Import file		×
File		
Demo File Data.csv		
Import location	Separator type	
Replace spreadsheet 👻	Detect automatically 👻	Click Import data
Convert text to numbers	s, dates, and formulas	$\overline{}$
	Import data	Cancel

Notes on Google Sheet Sorting:

• Freeze the top row before sorting.

	🕒 🕂 Untit	led sp	oreadsheet - (Google :	× +				
1.	. Click on View		s://docs.goo	ogle.con	n/spread			D IToGY5iOill	zCVzCNCXm4JtJ4
		J	TextAid	d 🕄 T	extAid W	2. Clic	k on Freeze		
	Untitled s File Edit		adsheet v Insert F	~	🗈 🕑 Data	ors Add-ons	Help Last ed	it was 3. Cl	ick on 1 row
k			Freeze			No rows		1	
A1	• <i>f</i> x		Gridlines			1 row			
	A	~	Griumes			2 rows			G
1	customer_id		Protected ranges			21003		-	
2	8888					Up to current row (1)			
3	8888	FC	Formula bar Show formulas Ctrl+`						https%3A%2F%2F
4	8888				No colun	ns	1	https%3A%2F%2F	
5	8888				Ctrl+`	no colui			https%3A%2F%2F
6	8888					1 column		1	https://readspeake
7		1	selection:https://rea						
8	8888					2 column	15	1	[en] products
9	8888		Zoom		•	Up to current column (A)		2	https%3A%2F%2F
10	8888					LUL . 00 00	1	[fr] camarades	
11	8888		Full screen	i i		lefault	2021-06-09	3	https://readspeake
12	8888	_				Jefault	2021-06-09	1	selection:https://do
13	8888	en_	us	Mark		default	2021-06-09	1	selection:https://rea

 Click on the column you want to sort. Then click on Data and select Sort sheet by Column {Letter}, either A->Z or Z to A.

• • 	→ C Apps 🖻 Booking	ed spreadsheet - 2. Click on I	0	spr	+ readsheets/d/1v42aj d Web Reader Sheet by G	1.000		t.14/edit#aid=5 Click on the
	3	spreadsheet View Insert 100% - \$	☆ Format %0	•	Tools Add-ons H Last edit Sort sheet by column G, $A \rightarrow Z$	was seconds		blumn you ant to sort. $\Xi\Xi \rightarrow \equiv \bullet$
G:G	• <i>fx</i>	page			Sort sheet by column G , $Z \rightarrow A$		- /	
	A B				F	G	н	
1	customer_id	language_code	voice_c		Sort range by column G , $A \rightarrow Z$	s_count	page	
2	8888	en_us	Sophie		Contractor by achieve 0.7	1	https://readspea	ker-salesdemo.t
3	8888	en_us	Ashley		Sort range by column G , $Z \rightarrow A$	1	https%3A%2F%	2Freadspeaker-
4	8888	en_uk	Alice			1	https%3A%2F%	2Freadspeaker-
5	8888	en_uk	Alice		Sort range	1	https%3A%2F%	2Freadspeaker-
6	8888	en_us	Ashley	▼ 	Create a filter	1	https://readspea	ker-salesdemo.l
7	8888	en_us	Ashley			1	selection:https://	readspeaker-sa
8	8888	en_uk	Alice		Filter views	1	[en] products	
9	8888	en_us	Ashley		Slicer	2	https%3A%2F%	2Freadspeaker-
10	8888	en_uk	Alice		INEW	1	[fr] camarades	
	8888	en_us	Ashley			3	https://readspea	ker-salesdemo.
11					Data validation			

Click on Column G (page). Use the Find and Replace tool, which is found under Edit, to strip off part of the URL to make the Page column easier to read. Some parts of the URL that you may want to remove are "https://your LMS name/" and "selection:". Place the part of the URL you want to remove in the Find field, leave the Replace with field empty, and then click Done.

ReadSpeaker () Dioneering voice technology Admin Portal Guide



Proceed to the section "What Does My Data Tell Me?"

What Does My Data Tell Me?

Depending on what you are trying to learn from your data, there are several things you can do at this point. ReadSpeaker does not collect student names, so you cannot see who did what or how many unique learners clicked on a particular item. Not every tool is tracked. What you can tell is which:

- voices were used
- tools were used in which voice
- languages were used
- tools were used in which language
- tools were used
- sites were the most visited
- sites were accessed
- languages were used in translation
- words were looked up in the dictionary

Voices Used

Sort the spreadsheet by voice code (Column C). As you scroll down the column, you will see which voices were used. For instance, if you see Sofie, that is an American English female voice. Look in the language code column (Column B) to see which language was being used.

Tools Used with Each Voice

There are several ways to do this. The easiest way most likely will be to sort your data by the **voice code** (Column B) and then a secondary sort using **type** (Column D). You can then scroll through the languages and tools to see which were used with which language.

If you don't like to scroll a great deal, scroll down to where a new language begins. Copy the remainder of the table to a new worksheet page. You can easily see the information by language and tool in a shorter list.

ReadSpeaker () Admin Portal Guide

Languages Used

Sort the spreadsheet by voice code (Column B). As you scroll down the column, you will see which languages were used. For instance, if you see "en_us," an American English language, or "fr_ca," the French-Canadian language.

Tools Used with Each Language

There are several ways to do this. The easiest way most likely will be to sort your data by the language code (Column B) and then a secondary sort of type (Column D). You can then scroll through the languages and tools to see which were used with which language.

If you don't like to scroll a great deal, scroll down to where a new language begins. Copy the remainder of the table to a new worksheet page. You can easily see the information by language and tool in a shorter list.

Which Tools Were Used

Sort the entire worksheet by type by Column D, if you started your worksheet, in the A1 cell. This look will show you know which tools are being used.

Below are types that you may see.

- Default is the Listen tool for webReader.
- docReader Listen is the "listen" tool for docReader (not available in all LMSs.)
- Download file is the download to mp3 function.
- Help is accessing the help tool.
- Translate is translating a word or phrase into another language. You will see the language code used in the translation.
- Wordlookup is the dictionary tool. You will see which word was looked up.

Most Popular Sites

Sort your file by Access Count (Column F) to see which tool/page was accessed the most. This look will show only a daily count on the page. For a better count, look at which sites were accessed.

Sites Accessed

Sort file by Page. Use the Replace command (Home -> Find & Select -> Replace) to replace your URL with an empty replace value. Now do the Sort by Page. You will be able to see which pages were accessed the most. The pages could be assignments, content, quizzes, etc.

If the same URL is accessed on multiple days, they will be adjacent to each other on the spreadsheet. Add up the access count column to see how many times that page was accessed.

Page | 21

From this data, you can begin to see which tools are being used and are not used. Not all tools are tracked. The tools listed above are the ones that are tracked. If you see that a trackable tool is not being used, you may want to increase awareness about the tool.

ReadSpeaker () Dioneering voice technology Admin Portal Guide

Languages Used in Translation

Sort the spreadsheet by type (Column D) and select descending. Scroll down to where you see translate. You will see the language translated to in the page column. For a quick language code reference, you can Google language codes. This <u>page</u> (https://www.science.co.il/language/Codes.php) is a good site.

Words Looked Up in the Dictionary

Sort the spreadsheet by type (Column D) and select descending. The top entries will be the words looked up and which language. The language code with be shown in brackets, and the word will be to the right of the language code.

If you have other questions about your data, please do not hesitate to reach out to the Educational Development Manager.